

SUPPLEMENT TO

The Gazette



of India

No. 39]

NEW DELHI, SATURDAY, DECEMBER 30, 1950

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 2nd December, 1950

CHOLERA								SMALLPOX								PLAGUE															
C.				D.				C.				D.				C.				D.											
STATES PART (A) & PART (C)																Bihar--contd.															
Ajmer																Manbhum															
TOTAL			3		3			21		5								
(Estd. mid-year pop. 240 thousands)																Palamanu															
Total for w/e 25-11-50																Singhbhum															
Total for w/e 18-11-50																TOTAL															
7-yearly mean for the week																(Estd. mid-year pop. 37,690 thousands)															
...																Total for w/e 25-11-50															
...																Total for w/e 18-11-50															
...																7-yearly mean for the week															
...																...															
Assam																Bombay															
Cachar			5		1								
Khasi and Jaintia Hills			1		1								
Naga Hills								
Goalpara		5		4		3		6								
Kamrup		15		16								
Darrang								
Nowgong								
Sibsagar								
Lakhimpur			18		2								
Sadiya & Frontier Tracts			1								
Garo Hills								
TOTAL		20		20		9		7			40		16								
(Estd. mid-year pop. 7,611 thousands)																Ahmednagar															
Total for w/e 25-11-50																East Khandesh															
Total for w/e 18-11-50																West Khandesh															
7-yearly mean for the week																Amreli															
...																Nasik															
...																Poona															
...																Satara North															
...																Satara South															
...																Sholapur															
...																Sabarkantha															
...																Belgaum															
...																Bijapur															
...																Dharwar															
...																Kanara															
...																Ratnagiri															
...																Kolaba															
...																Kolhapur															
...																Baroda															
...																Navasari															
...																Dangs															
...																Malwan															
...																Mehsana															
...																TOTAL															
...																(Estd. mid-year pop. 26,071 thousands)															
...																Total for w/e 25-11-50															
...																Total for w/e 18-11-50															
...																7-yearly mean for the week															
...																...															

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 2nd December, 1950—*contd.*

CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE	
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Uttar Pradesh—contd.						STATES PART (B)					
Jaunpur						Hyderabad					
Ghazipur						Aurangabad					
Ballia						Nanded					
Gorakhpur						Parbhani					
Deoria						Bhir					
Basti						Gulberga					
Azamgarh						Raichur					
Najafat						Bidar					
Almora						Osmanabad					
Garhwal						Nalgonda					
Lucknow						Mahbubnagar					
Unao						Hyderabad					
Rae Bareilly						TOTAL					
Sitapur						20 13 24 12 32 3					
Hardoi						Jammu and Kashmir					
Kheri						Return not received.					
Meerut						Madhya Bharat					
Gonda						Return not received.					
Bahraich						Mysore					
Sultanpur						Kodur					
Partabgarh						Bangalore					
Bara Banki						Chitaldrug					
Rampur						Hassan					
TOTAL						Chikmagalur					
(Estd. mid-year pop. 59,182 thousands)						Kolar					
Total for w/e 25-11-50						Mysore					
Total for w/e 18-11-50						Shimoga					
7-yearly mean for the week.						Tumkur					
132 76 49 10 104 54						TOTAL					
West Bengal						22 8 13 4 21 10					
Burdwan						PEPSU					
Birbhum						Return not received.					
Bankura						Rajasthan					
Midnapur						Former Matsya					
Hooghly						Former Rajasthan					
Howrah						Jaipur					
24-Parganas						Jodhpur					
Calcutta						TOTAL					
Nadia 1 6					
Murshidabad						Travancore-Cochin					
Malda						TOTAL					
West Dinajpur						2 1 10					
Jalpaiguri						Vindhya Pradesh					
Darjeeling						TOTAL					
Cooch Behar					
Chandernagore						Grand total for States Part (B)					
TOTAL						53 22 47 22 43 13					
199 111 527 240						Grand total for States Parts (A), (B) & (C)					
Estd. mid-year pop. 22,669 thousands)						525 280 1,774 529 385 116					
Total for w/e 25-11-50						TYPHUS					
Total for w/e 18-11-50						During the week, following cases of typhus were reported.					
7-yearly mean for the week						Bombay					
Grand total for States Parts (A) and (C)						Cases Deaths					
(excluding States of Punjab, Madras & Himachal Pradesh)						Bombay City					
(Estd. mid-year pop. 182,205 thousands)						Satara North					
Corresponding Total for w/e 25-11-50						TOTAL					
Total for w/e 18-11-50						4 3 1 ..					
7-yearly mean for the week						TOTAL					
1 370 797 464 121 536 263						4					

Explanation of the Symbols used:—C = Cases; D = Deaths

* Not available

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 2nd December, 1950—*consolid.*

CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE	
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
POLIOMYELITIS											
(Information based on patients treated in hospitals in important towns.)											
Place	Period	Cases									
Uttar Pradesh	{ 16—31 Oct, 1950	6									
	{ 16—30 Nov, 1950	2									
Delhi	1—15 Dec, 1950	4									
ABREAR INFORMATION											
Madhya Bharat											
(w/e 11-11-50)											
Bhilai				3							
Indore				1							
Nimar					2						
TOTAL				4	2						
(w/e 18-11-50)											
Bhilai				31	2						
Guna				4	3						
Indore				1							
Nimar					1						
Shivpuri				11	3						
TOTAL				47	9						
Rajasthan											
Former Matsya											
(w/e 9-9-50)								*	8		
(w/e 16-9-50)								*	3		
(w/e 23-9-50)							*	2	*	2	
(w/e 30-9-50)							*	2	*	20	
(w/e 7-10-50)							*	4	*	7	
(w/e 14-10-50)									*	5	
(w/e 21-10-50)									*	1	
(w/e 28-10-50)											
(w/e 4-11-50)									*	7	
(w/e 11-11-50)											
Supplementary Information											
Bombay											
(for w/e 25-11-50)											
Poona									8	4	
Ahmednagar									1	1	
West Khandesh.									2	2	
Nasik									15	1	
East Khandesh									59	12	
Thana									34	5	
TOTAL									110	28	

Explanation of the symbols used:—C=Cases; D=Deaths.

* Not available

NEW DELHI 3 (INDIA);

The 26th December, 1950.

GIPD—53—156 RG of India—28-12-50—140

S. P. JAIN,

for Registrar General, India.

NATIONAL

SAVINGS

CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs. 25,000 in them (inclusive of any Post Office cash certificates held).

Full particulars obtainable from all post offices, District Organisers of the Small-Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 2nd December, 1950.

Town	Mid-1950 Popn-Est. (000)	Deaths from :—											Total	D.R.*	I.D.	
		B.	B. R.*	C.	S.	P.	F.	D. D.	R. D.	M. D.						
STATES—(Part A and C)																
Ajmer																
Ajmer	173	232	69.7	9	4	21	1	60	18.0	23			
Beawar	45	76	87.8	..	1	..	11	1	3	..	25	28.9	7			
TOTAL	218	308	73.5	..	1	..	20	5	24	1	85	20.3	30			
Assam	Return not received.															
Bhopal	Return not received.															
Bihar	Return not received.															
Bombay																
Ahmedabad	854	808	49.3	177	6	44	2	380	28.1	118			
Ahmednagar	66	95	14.8	5	3	20	1	61	48.6	33			
Amalner	45	52	64.9	5	9	10.4	1			
Bandra	100	84	43.6	..	1	..	1	2	8	1	40	20.6	15			
Baroda	188	260	71.9	39	2	12	2	62	32.6	18			
Barshi	42	54	66.8	5	1	3	1	27	33.4	10			
Belgaum	77	68	45.9	2	..	5	..	29	19.5	4			
Bhusawal	44	91	107.5	9	..	1	..	14	13.3	4			
Bijapur	58	44	39.4	7	3	1	..	23	20.6	8			
Bombay	1,796	1,507	43.6	..	1	..	4	19	130	..	608	17.6	108			
Braach	76	59	43.6	10	..	2	..	28	19.1	8			
Cambay	38	63	80.2	6	9	12.3	28			
Dharwar	55	39	36.9	2	1	3	..	16	15.1	9			
Dhulia	66	44	34.6	11	..	4	..	19	14.9	4			
Gudag-Betgeri	66	45	36.6	7	1	9	2	43	34.4	18			
Godhra	48	46	49.7	6	11	11.2	4			
Hubli	107	47	22.8	5	1	7	1	29	13.6	1			
Jalgaon	62	52	43.6	3	..	4	..	17	14.2	2			
Kalyan †	115	73	33.0	8	3	6	..	47	21.2	1			
Kolhapur	47	50	55.3	7	..	1	..	18	19.9	3			
Kurle	41	44	55.8	10	..	4	..	17	21.5	6			
Malegaon	38	5	6.8	1	4	5.4	..			
Miraj	58	55	49.2	12	..	6	..	26	23.2	4			
Nadiad	59	44	38.7	2	..	7	..	43	37.8	4			
Nasik	46	37	41.8	3	4	9	10.1	4			
Pandharpur	37	48	65.5	11	5	4	..	27	37.9	9			
Parle Andheri	58	28	25.2	1	..	2	1.7	..			
Patan	43	59	71.3	13	1	3	..	25	20.3	4			
Poona	818	307	51.0	2	3	24	1	148	24.5	29			
Sangli	39	23	30.6	2	2	3	1	13	17.3	1			
Satara	40	21	27.3	2	1	..	1	7	18.0	2			
Sholapur	267	242	46.3	12	9	39	4	127	24.7	26			
Surat	289	233	50.6	22	3	19	2	86	18.7	22			
TOTAL	5,228	4,727	47.0	2	2	..	409	66	380	23	2,043	20.3	587			
Delhi State																
Delhi City	685	798	60.6	55	5	36	1	154	11.7	47			
New Delhi	121	213	91.5	1	4	..	58	24.9	14			
TOTAL	806	1,011	65.2	55	6	40	1	212	13.7	61			

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B. R. —Birth rate; C.—Cholera; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery & Diarrhoea; R. D.—Respiratory diseases; M. D.—Maternal deaths; D. R.—Death rate; I. D.—Infantile deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 2nd December, 1950—*contd.*

Deaths from :—

Town	Mid.-1950 Popa. Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
STATES (Parts A and C)														
Madhya Pradesh														
Return not received.														
Madras														
Adoni	35	40	59.4	1	..	1	..	9	13.4	1	
Ambur	39	32	42.7	2	1	..	2	14	18.7	2	
Anakapalle	35	19	28.8	3	8	3	..	21	31.2	4	
Aruppukottai	36	46	66.4	1	1	..	8	2	1	..	31	44.8	9	
Bellary †														
Cannanore	35	23	34.2	6	2	16	23.9	1	
Chirala †														
Chittoor	33	21	33.1	3	1	17	26.8	1	
Coimbatore †														
Cuddappah	34	27	41.3	1	..	2	..	11	16.8	1	
Cuddalore	62	32	68.8	3	1	6	..	35	29.4	..	
Dindigul	68	44	27.6	2	2	2	6	..	34	26.0	7	
Eluru	72	57	41.2	..	2	..	5	2	5	..	40	28.9	9	
Erode	45	30	44.7	..	1	..	1	1	4	..	25	28.9	8	
Gudilipattinam	40	63	81.9	3	1	4	2	29	37.7	3	
Guntur	101	105	54.1	11	1	6	1	43	22.1	15	
Kakinada	84	38	23.5	3	..	3	..	19	11.8	6	
Kancheepuram	83	41	25.7	3	2	11	1	44	27.6	11	
Karaikudi	36	26	37.6	3	1	2	2	18	26.0	6	
Karur	35	22	32.7	1	2	1	..	17	25.3	4	
Kozhikode	152	130	44.5	5	3	16	..	36	29.4	7	
Kumbakonam	71	75	54.9	8	2	1	5	2	55	40.3	13	
Kurnool	55	51	48.2	1	2	3	2	32	30.3	8	
Madras	1,013	1,000	51.3	7	5	..	51	71	168	1	713	36.6	164	
Mangalore	94	43	23.8	1	2	2	..	22	12.2	5	
Mettur	61	52	44.3	..	2	..	3	..	1	..	28	23.9	5	
Muthurai	292	317	56.5	10	3	..	23	19	75	1	287	47.6	50	
Mayuram	33	54	85.1	2	3	5	..	29	45.7	3	
Melapalayam	32	10	16.3	1	4	..	22	35.8	1	
Nagapattinam	57	17	15.5	6	1	22	20.1	10	
Nellore	66	32	58.3	4	..	7	..	57	44.9	19	
Ooty	35	25	38.6	1	6	..	13	19.3	3	
Palam Cottaiah	34	25	38.2	14	2	5	..	44	67.3	10	
Palghat	61	30	25.6	1	13	11.1	2	
Proddatur	33	29	45.7	4	2	3	..	16	25.2	1	
Pudukottai †														
Rajahmundry	85	92	56.3	..	1	2	3	1	36	22.0	10	
Rajapalayam	53	52	51.0	11	3	10	15	1	39	61.8	7	
Salem	155	142	47.6	2	..	13	2	67	22.5	15	
Srivilliputhur	37	23	32.3	1	3	3	..	19	26.7	3	
Tanjore	70	35	63.2	8	1	3	11	..	36	49.0	9	
Tellicherry	42	33	40.9	2	2	..	10	12.4	2	
Tenali	46	74	83.7	3	..	4	..	23	26.0	9	
Tiruchirappalli	175	167	49.6	1	10	28	2	142	42.2	14	
Tirunelveli	64	50	40.6	21	5	18	..	75	60.9	11	
Tiruppur	47	47	52.0	5	6	5	1	40	44.3	12	
Tiruvannamalai	39	33	44.0	1	2	4	2	..	29	29.3	4	
Tuticorin	90	63	36.4	1	1	..	8	12	17	3	108	62.4	25	
Vaniyambadi	39	17	22.7	2	1	3	..	16	21.3	4	
Vellore	35	109	66.7	2	3	6	13	2	79	48.3	16	
Vijayavada	110	86	40.7	..	1	..	8	..	3	..	35	16.5	7	
Virudunagar	36	40	57.8	1	4	4	4	1	28	40.4	7	
Vizagapatnam	82	62	39.3	6	..	7	1	36	22.8	4	
Vizianagaram	58	56	50.2	3	1	2	..	31	27.8	7	
TOTAL	4,275	3,888	47.3	100	22	..	193	197	519	29	2,738	33.3	560	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal Deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total Deaths.)

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 2nd December, 1950—*contd.*

Town	Mid-1950 Popn.-Est. (000)	Deaths from											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Orissa															
Berhampur	49	57	60.6	7	2	2	1	16	17.0	1		
Cuttack	83	88	52.1	..	16	..	5	2	1	2	56	35.2	5		
Puri	44	42	49.8	14	4	7	..	39	46.2	6		
TOTAL	176	182	53.8	..	16	..	26	8	10	3	111	32.8	12		
Punjab (I)															
Ambala	52	43	43.1	10	..	4	..	14	14.0	5		
Amritsar	508	234	24.0	16	13	30	..	137	14.1	48		
Batala	55	41	38.9	18	1	2	..	24	22.7	1		
Bhiwani	51	54	55.2	8	2	4	..	17	17.4	6		
Fazilka	37	15	21.1	10	..	2	..	16	22.5	7		
Ferozepore	48	25	27.1	4	4	8	..	23	25.0	4		
Ghissar	32	19	30.9	3	4	6.5	..		
Hoshiarpur†		
Jullundur	145	114	41.0	18	3	10	..	45	16.2	13		
Karnal	48	36	39.1	4	..	9	..	15	16.3	1		
Ludhiana	152	108	37.0	15	..	2	..	25	8.0	3		
Moga	37	29	40.8	28	..	4	..	38	53.4	9		
Panipat	42	63	78.3	8	2	5	..	19	22.4	9		
Rewari	35	29	43.2	5	..	1	..	10	14.9	3		
Rohtak	60	71	61.7	..	1	..	8	16	18.9	8		
TOTAL	1,302	881	35.2	..	1	..	155	25	81	..	402	16.1	123		
Uttar Pradesh															
Agra	355	391	57.4	3	7	96	..	156	22.9	48		
Allahabad	325	265	42.5	35	..	75	12.0	18		
Amroha	66	93	73.2	2	3	13	2	42	33.1	10		
Bahraich	46	24	27.1	2	1	2	..	10	11.3	4		
Balrampur	51	9	9.3	7	1	10	10.3	1		
Banaras	308	401	68.0	55	14	12	2	169	28.7	68		
Barilly	235	161	35.7	17	6	15	..	50	11.1	15		
Budaun	58	66	59.1	9	1	4	1	26	23.3	4		
Cobra Dun	104	48	24.2	4	..	4	..	19	9.6	3		
Etawah	58	49	43.4	12	2	5	1	20	25.7	10		
Faizabad-Ajodhya	58	33	29.5	1	2	..	1	14	12.5	3		
Farrukhabad-Fatehgarh	64	56	45.4	12	3	5	..	20	23.5	8		
Ferozabad	55	73	63.8	3	1	1	..	8	7.5	3		
Ghazipur	35	40	59.8	5	1	10	14.9	3		
Gorakhpur	121	81	34.8	5	6	7	..	37	15.9	11		
Hapur	47	58	64.7	5	6	2	..	19	21.2	8		
Hardwar Union	71	47	34.4	7	4	2	..	30	22.0	4		
Hathras	57	59	54.4	4	2	12	..	23	21.3	8		
Jaunpur	52	40	40.4	3	..	3	..	10	10.1	1		
Jhansi	90	145	83.6	24	3	7	..	48	27.7	14		
Kanpur	702	425	31.6	..	1	..	124	22	31	5	307	22.8	80		
Khurja	41	30	37.8	3	..	12	..	17	21.4	3		
Koll-Aligarh	143	74	27.0	14	6	17	..	40	16.8	10		
Lucknow	487	323	34.6	15	13	32	..	140	15.0	38		
Mathura	101	99	51.4	12	2	13	..	35	18.2	1		
Meerut	160	177	57.6	3	6	21	..	38	12.4	3		
Mirzapur-Vinayachal	81	87	56.3	11	2	5	..	24	15.5	7		
Moradabad	186	160	44.9	3	3	29	..	40	13.7	1		
Musaffarnagar	65	64	51.1	7	..	3	..	16	12.8	3		
Pilibhit	53	40	39.3	2	6	3	..	24	23.6	0		
Rampur	103	30	15.1	3	..	13	..	20	10.1	1		
Saharanpur	168	145	45.0	34	..	9	..	47	14.6	1		
Sambhal	63	94	77.3	11	..	4	..	20	16.4	4		
Shahjahanpur	122	90	35.5	14	2	4	..	24	9.5	7		
Sitapur	37	40	56.0	..	1	..	7	1	1	..	13	18.2	3		
TOTAL	4,780	4,017	43.7	..	2	..	443	124	421	13	1,634	17.8	439		
West Bengal															
Return not received.															

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:— B. Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery & Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 2nd December, 1950—*contd.*

Town	Mid-1950 Popn. Est. (000)	Deaths from :—											Total	D. R.*	I. D.	
		B.	B. R.*	C.	S.	P.	F.	D. D.	R. D.	M. D.						
STATES—(PART B)																
Jammu and Kashmir		Return not received.														
Madhya Bharat																
Greater Gwalior	234	86	12.4	6	20	4.4	1			
Indore	278	203	33.7	27	2	16	...	111	21.2	34			
Ratlam	52	37	37.0	10	2	10	...	28	28.0	...			
Ujjain	106	65	31.9	1	9	2	42	20.6	16			
TOTAL	665	361	28.2	43	5	35	2	201	15.7	51			
Mysore State																
Bangalore City	500	485	50.4	9	32	41	..	100	19.7	...			
Kolar Gold Fields	179	148	50.2	4	7	3	...	41	16.6	...			
Mysore City	191	149	40.5	8	7	72	19.5	..			
TOTAL	870	782	46.7	21	46	44	...	203	12.1	...			
PNFSU																
Maheshwala	36	34	45.8	4	4	5.8	1			
Pattala	84	67	41.5	22	2	2	3	43	26.6	17			
TOTAL	120	101	43.8	26	2	2	3	47	20.4	18			
Rajasthan																
Ajmer	60	63	72.1	7	...	2	...	14	12.9	...			
Bikaner	166	83	27.5	3	...	6	...	16	5.6	6			
Jaipur	201	81	20.9	22	2	9	...	105	27.1	24			
Jodhpur	157	92	30.4	8	1	9	1	28	9.2	...			
Udaipur †													
TOTAL	584	344	30.6	40	3	26	1	168	14.5	30			
Saurashtra		Return not received.														
Tamil Nadu		Return not received.														
ARREAR RETURNS																
For w/e the 25th November 1950																
Madhya Pradesh																
Abela	76	96	65.8	13	4	3	...	40	27.2	...			
Amravati	76	93	63.5	10	1	6	1	35	23.9	11			
Bilaspur	43	31	37.4	6	1	14	16.9	6			
Burhanpur	63	76	62.5	9	1	17	14.0	...			
Chandigarh	32	28	40.6	12	...	7	...	21	33.6	...			
Datna	34	25	38.1	3	1	1	...	17	25.9	8			
Dehli	33	9	14.1	2	7	11.0	...			
Jabalpur	174	123	36.6	12	4	12	2	51	15.2	11			
Khandwa	42	26	32.1	11	16	14.0	...			
Nagpur	300	273	47.4	...	19	...	74	26	14	1	210	36.5	10			
Nagpur Civil Station	83	119	74.2	...	2	...	14	6	3	...	39	24.3	4			
Raipur	80	29	18.8	...	1	...	5	8	5.2	...			
Raj	62	30	25.1	9	...	7	...	20	16.7	...			
Wardha	37	5	7.1	1	3	4.3	...			
Yestmal	32	45	73.6	15	1	21	34.4	6			
TOTAL	1,167	1,008	44.9	...	22	...	196	44	53	5	519	23.1	...			

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 2nd December 1950—*contd.*

Town	Mid-1950 Popn.-Est (000)	B.	B.R.*	Deaths from:—							Total	D.R.	*I.D.	
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Bihar														
For w/e the 4th November 1950														
Arrah	57	17	15.5	2	...	1	...	4	3.7	...	
Bettiah	62	8	12.8	2	3.2	...	
Bihar†				
Bhagalpur	102	4	2.0	...	1	...	2	15	7.4	...	
Chapra	62	7	5.8	2	5	4.2	...	
Darbhanga	77	36	24.3	8	1	18	12.1	...	
Dinapur-Nizamat	36	1	1.4	1	1.4	...	
Gaya	121	121	52.7	...	1	...	35	7	7	...	66	28.3	...	
Jamalpur	48	2	2.2	9	1	1.1	...	
Jamshedpur	209	79	19.6	7	1	6	...	24	6.0	...	
Monghyr †				
Muzaffarpur	64	21	16.9	1	6	4.8	...	
Patna	191	12	3.3	3	6	1.6	...	
Purulia	35	3	4.5	1	2	3.0	...	
Ranchi	58	51	46.0	3	1	1	...	12	10.8	...	
TOTAL	1,122	362	16.8	...	2	...	73	11	15	...	162	7.5	...	
For w/e the 11th November 1950														
Arrah	57	5	4.6	3	3	2.7	...	
Bettiah	62	6	9.6	1	3	4.8	...	
Bihar†				
Bhagalpur	102	3	1.5	3	10	5.1	...	
Chapra	62	8	6.7	3	5	4.2	...	
Darbhanga	77	25	16.9	4	8	5.4	...	
Dinapur-Nizamat	36	6	8.7	1	...	1	...	6	3.7	...	
Gaya	121	39	16.0	...	1	...	33	6	10	...	76	32.6	...	
Jamalpur	48	3	3.2	1	1.1	...	
Jamshedpur	209	71	17.6	1	1	5	...	17	4.2	9	
Monghyr†				
Muzaffarpur	64	24	19.4	1	1	10	3.1	...	
Patna	191	10	2.7	5	1.4	...	
Purulia	35	3	4.5	1	5	7.5	...	
Ranchi	58	2	1.8	3	8	7.2	...	
TOTAL	11,22	205	9.5	...	1	...	54	8	16	...	157	7.3	9	
Madhya Bharat														
For w/e the 4th November 1950														
Greater Gwalior	234	28	6.2	9	27	6.0	...	
Indore city	273	286	54.7	28	1	13	...	92	17.6	25	
Ratlam	52	39	39.0	11	...	5	...	28	28.0	6	
Ujjain	106	64	31.4	2	1	6	2	41	20.1	6	
TOTAL	665	417	32.7	50	2	24	2	188	14.7	37	
For w/e the 11th November 1950														
Greater Gwalior	234	204	45.3	1	9	59	13.1	...	
Indore	273	255	48.8	34	...	9	1	111	21.2	36	
Ratlam	52	29	29.0	1	...	5	2	11	11.0	1	
Ujjain	106	50	24.6	1	2	5	2	35	17.1	9	
TOTAL	665	538	42.1	1	45	2	19	5	216	16.9	46	
Madhya Pradesh														
For w/e														
Nagpur	18-11-50	300	239	41.5	...	19	56	56	16	12	1	193	33.5	19
Nagpur C. S.	18-11-50	83	67	41.8	...	1	...	14	2	2	...	26	16.2	...
Bombay														
Kalyan	18-11-50	36	47	67.9	1	1	1	...	8	11.6	...
Nadag-Betgero	25-11-50	66	44	34.7	9	1	...	2	20	15.8	4

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 2nd December, 1950 relate to 152 towns with an estimated population of 19,024 thousands. The total number of towns is 233 and their population is 28,421 thousands. Thus 65% of the total number of towns representing 67% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 16,602 and 7,839 representing birth and death rates of 45.4 and 21.4 per thousand of population respectively.

(A) States (Parts A & C) :—The data here relate to 139 towns with an estimated population of 16,785 thousands. Information about Assam, Bihar, Madhya Pradesh and West Bengal could not be included. The total number of towns is 201 and their population is 24,668 thousands. Thus 69% of the total number of towns representing 68% of the total population is covered. The numbers of births and deaths were 15,014 and 7,225 representing birth and death rates of 46.5 and 22.4 per thousand of population respectively. The table at the end gives the position by states.

The towns of Palam cottah, Rajapalayam, Tirunelveli and Tuticorin in Madras and Moga in Punjab recorded high death rates of 67.3, 61.8, 60.9, 62.4, and 53.41 respectively. In Palamcottah, Tirunelveli and Rajapalayam, the high death rates were mainly due to deaths from cholera. In Rajapalayam and Tirunelveli, there were large numbers of deaths from respiratory diseases also. In Tuticorin, the high death rate was not due to any one of the specified causes. In Moga, the high death rate was mainly due to deaths from fevers.

(B) States (Part B) :—The data here relate to 15 towns with an estimated population of 2,239 thousands. The total number of towns is 32 and their population is 3,753 thousands. Thus 41% of the total number of towns representing 60% of the total population is covered. The numbers of births and deaths were 1,588 and 614 representing birth and death rates of 36.9 and 14.3 per thousand of population respectively.

No town recorded a high death rate of 50 or over thousand of population.

States	Current w/e 2-12-50		Corresponding w/e last year		Corresponding mean during the previous 5 years period.	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	73.5	20.3	32.8	16.8	45.5	24.3
Bombay	47.0	20.3	42.1	21.2	39.2	22.4
Delhi	65.2	13.7	58.0	14.8	44.8	13.7
Madras	47.3	33.3	53.0	27.0	48.2	28.2
Orissa	53.8	32.8	36.5	22.1	39.7	27.1
Punjab (I)	35.2	16.1	41.2	13.3	38.7	16.4
Uttar Pradesh	43.7	17.8	40.8	21.7	42.9	24.4
India (only States Parts A & C)	46.5	22.4	39.8	20.7	38.0	21.2

NEW DELHI 3 (INDIA) ; }
The 26th December, 1950. }

S. P. JAIN,
For Registrar General, India.